Journal of Discrete Mathematical Sciences & Cryptography
ISSN 0972-0529 (Print), ISSN 2169-0065 (Online)
Vol. 27 (2024), No. 2-A, pp. 501–512
DOI : 10.47974/JDMSC-1906

Exploring elliptic geometry in neural networks : The concept of elliptic neural networks (ENN)

Vivek Kumar Verma [§]
Department of Information Technology
Manipal University Jaipur
Jaipur
Rajasthan
India

Bhavna Saini [†]
Department of Data Science Analytics
Central University Rajasthan
India

Anju Yadav*
Department of Information Technology
Manipal University Jaipur
Jaipur
Rajasthan
India

Pankaj Dadheech [‡]
Department of Computer Science & Engineering
Swami Keshvanand Institute of Technology, Management & Gramothan
Jaipur
Rajasthan
India

[§] *E-mail:* **vermavivek123@gmail.com**
[†] *E-mail:* **bhavnasaini10@gmail.com**
* *E-mail:* **anju.anju.yadav@gmail.com (Corresponding Author)**
[‡] *E-mail:* **pankajdadheech777@gmail.com**

© Taru Publications

Abstract

The exploration of non-Euclidean geometries in the context of neural network architectures presents a novel avenue for enhancing the processing of complex data structures. This paper introduces the concept of Elliptic Neural Networks (ENN), a framework that integrates the intrinsic properties of elliptic geometry into the fabric of neural computation. Characterized by constant positive curvature and closed geodesic paths, elliptic geometry provides a unique perspective for representing data, especially advantageous for configurations exhibiting cyclic and dense hierarchical interconnections. We begin by delineating the fundamental aspects of elliptic geometry, focusing on its impact on conventional notions of distance and global structural interpretation within data sets. This foundational understanding paves the way for our proposed mathematical schema for ENNs. Within this framework, we articulate the methodologies for embedding data in elliptic spaces and adapt neural network operations by encompassing neuron activation, signal propagation, and learning paradigms to conform to the topological idiosyncrasies of elliptic geometry. In this paper addressing the implementation of ENNs, we discuss the computational challenges and the development of novel algorithms requisite for navigating the elliptic geometric landscape. The prospective applications of ENNs are extensive and diverse, ranging from the enhancement of cyclic pattern recognition in time-series analysis to more sophisticated representations in graph-based data and natural language processing tasks. This theoretical exposition aims to set the groundwork for subsequent empirical research to validate the proposed model and assess its practical performance relative to conventional neural network architectures. By harnessing the distinctive characteristics of elliptic geometry, ENNs mark a significant stride towards enriching the arsenal of machine learning methodologies, potentially leading to more versatile and efficacious computational tools in data analysis and artificial intelligence.

Subject Classification: *68T05.*

Keywords: *Elliptic neural networks (ENN), Non-euclidean geometry in machine learning, Elliptic geometry in AI, Neural networks and elliptic space, Machine learning and elliptic geometry.*

1. Introduction

The advent of neural networks has ushered in a new era in the field of machine learning, offering robust tools for a plethora of data analysis tasks. Traditional neural network architectures predominantly operate within the confines of Euclidean geometry [1]. However, the complexities inherent in certain data structures, particularly those exhibiting hierarchical and cyclic characteristics, often elude the optimal representational capacity of Euclidean-based models. This limitation has sparked interest in exploring non-Euclidean geometrical frameworks within neural networks [2][10]. Among these, elliptic geometry, a branch of non-Euclidean geometry characterized by constant positive curvature, presents a compelling alternative. In this paper, we introduce the concept of Elliptic

Neural Networks (ENN), which seamlessly integrates the principles of elliptic geometry into the structural and operational paradigm of neural networks.

1.1 *Elliptic Geometry: A Mathematical Overview*

Elliptic geometry, unlike its Euclidean counterpart, is defined on a surface of constant positive curvature, such as a sphere. The essential elements of elliptic geometry that deviate from Euclidean principles are as follows:



Figure 1

Elliptic geometry on a sphere

Figure 1 representing elliptic geometry, the sphere's surface delineates the space where this geometry operates. The great circles, illustrated as black lines on the sphere, act as the "straight lines" of elliptic geometry. These lines are unique compared to Euclidean geometry as they curve along the sphere's surface, and notably, every pair intersects at two opposite points, known as antipodal points. A key characteristic of elliptic geometry highlighted here is the absence of parallel lines, with all lines eventually intersecting. This graphical representation offers a basic view of elliptic geometry, emphasizing line concepts and the lack of parallels. It doesn't cover more intricate aspects such as the angle sum of triangles,

methods of measuring distance, or the nuances of curvature, all of which are essential for a comprehensive understanding of elliptic geometry.

Geodesics in Elliptic Geometry: In elliptic space, the shortest path between two points, akin to a 'straight line' in Euclidean geometry, is known as a geodesic. On a spherical surface, these are segments of great circles. Mathematically, the geodesic between two points P1(θ1,ϕ1) and P2 (θ2,ϕ2) on a sphere can be defined using the Haversine formula:

$$d(P1, P2) = r \ \arccos(\sin(\theta 1)\sin(\theta 2) + \cos(\theta 1)\cos(\theta 2)\cos(\phi 1 - \phi 2))$$

where, d is the distance between the points, and r is the radius of the sphere [3].

Triangle Sum of Angles: A fundamental property of elliptic geometry is that the sum of the angles in a triangle exceeds 180 degrees. For a triangle with vertices

α, β, and γ is given by:

$$\alpha+\beta+\gamma>180$$

This property profoundly affects the way distances and angles are computed in elliptic space.

1.2 *Adapting Elliptic Geometry to Neural Networks*

Incorporating elliptic geometry into neural networks necessitates rethinking the conventional Euclidean-based mathematical operations. We propose the following adaptations:

Data Embedding in Elliptic Space: Data points are embedded in elliptic space, which impacts the computation of distances and relationships between points. This embedding can be represented as a mapping.

$$f : R^n \to S^2$$

where S^2 is the 2-dimensional spherical surface [4].

Neural Activation and Propagation: The activation functions and the propagation of signals through the network layers must respect the elliptic geometry. For instance, the activation function σ could be redefined to account for the curvature of the space [5].

Learning in Elliptic Space: The backpropagation algorithm must be adapted for elliptic space. Gradient descent, typically used in Euclidean spaces, requires modification to accommodate the curved space. The

gradient ∇E of an error function E in elliptic space could be computed considering the manifold's curvature [6][11].

The introduction of elliptic geometry into neural networks offers a novel approach to model complex data structures more naturally and efficiently. The mathematical intricacies inherent in ENN not only challenge existing paradigms but also open new avenues for exploration in the field of machine learning. This paper endeavors to lay the foundational mathematical groundwork for ENNs, paving the way for future empirical research and practical applications.

2. Conceptual Framework for Elliptic Neural Networks (ENN)

Elliptic geometry differs fundamentally from Euclidean geometry in its approach to space, lines, and angles. In the context of neural networks, this integration requires a redefinition of neural network operations to adhere to the principles of elliptic geometry.

2.1 *Adapting Neural Network Architecture*

Layer Structure: Each layer in ENNs is adapted to operate within elliptic space. Neurons in these layers are interconnected in a manner that respects elliptic geometric properties.



Figure 2

Integration of elliptic geometry principles into a neural network

Figure 2 is a simplified neural network structure, where circles and lines illustrate an input layer, hidden layers, and an output layer, with the lines representing the connections between neurons (circles) across these

layers. Overlaying this structure is a blue sphere-like shape, symbolizing the integration of elliptic geometry into the neural network. This represents a shift from the conventional Euclidean framework typical of neural networks to the non-Euclidean nature of elliptic geometry. To aid understanding, the diagram includes text labels that describe its different components. Overall, the diagram is abstract, serving primarily as a visual metaphor to conceptualize the incorporation of advanced geometric principles into neural network architectures.

Activation Functions: Activation functions in ENNs are redefined to align with elliptic geometry. For example, a sigmoid function might be modified to reflect the curvature of the elliptic space [7].

2.2 *Learning and Optimization in Elliptic Space*

Gradient Descent in Elliptic Space: Traditional gradient descent is adapted for the elliptic curvature. The gradient of a loss function E in elliptic space is computed considering the geometry, possibly using Riemannian gradients.

Backpropagation Algorithm: The backpropagation algorithm for ENNs needs to account for the elliptic nature of the space. This involves updating the weights and biases of the network in a way that is congruent with elliptic geometric constraints.

3. Architecture of Elliptic Neural Networks (ENN)

The architecture of Elliptic Neural Networks (ENN) represents a significant paradigm shift in the field of artificial neural networks, incorporating the principles of elliptic geometry into its core design and functioning. At the as in Table 1, the ENN begins with the Data Input stage, where traditional data is initially received. This data then undergoes a transformation in the Data Embedding in Elliptic Space component, where it is adapted to fit the unique characteristics of elliptic geometry, marking a departure from conventional Euclidean data representations. Following this transformation, the data enters the Elliptic Layer Structure, the heart of the ENN. Here, multiple layers, each meticulously tailored to elliptic geometry, process the data sequentially. These layers are interconnected, ensuring a smooth flow and integration of information as it passes through the network. The next critical stage is the Activation in Elliptic Space, where neuron activation is governed by elliptic geometry

Table 1

Sequential Process Flow in Elliptic Geometry-Based Neural Network

Step	Component	Description
1	Data Input	The initial data input into the network.
2	Data Embedding in Elliptic Space	Transforms and embeds the input data into elliptic space, converting traditional data representations into a format suitable for processing in elliptic geometry.
3	Elliptic Layer Structure	Multiple layers of the neural network, each adapted to elliptic geometry. This step includes several interconnected layers, demonstrating how data flows and is processed through each layer in the context of elliptic geometry.
4	Activation in Elliptic Space	Activation of neurons according to the principles of elliptic geometry. This illustrates how the neural network applies elliptic-geometry-based activation functions to the data.
5	Elliptic Space Backpropagation	The backpropagation process adapted for elliptic space. Shows how the network adjusts and learns by updating its weights and biases in accordance with the rules of elliptic geometry.
6	Output Generation	The final output generation of the network. This is where the processed data, after passing through the various layers and transformations, culminates in a final output.

principles. This stage is crucial as it determines how the neural network processes and interprets the embedded data.

Once the data has been activated, it moves into the Elliptic Space Backpropagation process. This stage is pivotal for the learning capability of the ENN, where the network adjusts its parameters (weights and biases) in response to the error between the predicted and actual outcomes, adhering to the rules of elliptic geometry. This adaptation is what enables the network to learn from data and improve over time. Finally, the processed data culminates in the Output Generation stage, where the ENN produces the final output after extensive processing through its elliptic-geometry-informed layers. This output reflects the culmination of the network's sophisticated and unique approach to data processing, standing as a testament to the integration of advanced mathematical principles in neural network architectures.

4. Data Representation in Elliptic Space

4.1 *Techniques for Embedding Data in Elliptic Space*

In the realm of Elliptic Neural Networks (ENN), the process of embedding data into elliptic space is a critical step that diverges significantly from traditional Euclidean approaches. This embedding is not just a mere transformation of coordinates; it involves reinterpreting the data in a way that aligns with the properties of elliptic geometry.

Conversion to Spherical Coordinates: The first technique involves mapping the conventional data points to spherical coordinates. This mapping is akin to projecting the data onto the surface of a sphere, a fundamental model of elliptic space. Each data point is represented in terms of angles and distances relative to a central point, analogous to latitude and longitude on a globe. This repositioning allows the data to embody the curvature inherent in elliptic geometry.

Topology Preservation: In embedding data into elliptic space, it's essential to preserve the topological properties of the original dataset. Techniques that maintain relational and structural integrity are employed to ensure that the embedded data accurately reflects the original data's intrinsic patterns and hierarchies.

Normalization and Scaling: Given the constraints of elliptic space, such as the bounded nature of a sphere, data normalization and scaling become crucial. The aim is to fit the data within the geometric boundaries of elliptic space without losing its characteristic features. This step involves scaling down or transforming the data values so that they align harmoniously with the curved space.

Mathematical Expressions and Equations for Data Representation:

While the detailed mathematical expressions and equations are beyond the scope of this section, it's important to highlight that they play a pivotal role in accurately embedding data in elliptic space. These mathematical formulations are designed to:

Ensure Consistency with Elliptic Geometry: The mathematical expressions govern how data points are positioned and related within elliptic space. They take into account the unique aspects of elliptic geometry, such as the curvature and closed nature of the space.

Facilitate Geodesic Calculations: One of the key aspects of data representation in elliptic space is the calculation of geodesics or the shortest paths between points. The mathematical formulations enable the

computation of these paths, which are crucial for operations like distance measurements and network training.

Support Complex Operations: Advanced operations, such as convolution or pooling in the context of neural networks, require specific mathematical formulations when applied to data in elliptic space. These operations must respect the geometric constraints and properties of elliptic space.

The representation of data in elliptic space within ENNs is a multifaceted process that involves both conceptual and mathematical reimagining of how data is perceived and processed. The techniques employed ensure that the data not only fits within the elliptic framework but also retains its inherent properties and relationships, paving the way for effective processing and analysis by the neural network.

5. Challenges and Future Research Directions for Elliptic Neural Networks (ENN)

The development and implementation of Elliptic Neural Networks (ENN) pose a unique set of challenges, both technical and theoretical. These challenges stem primarily from integrating elliptic geometry into the existing neural network frameworks, a task that demands not just computational innovation but also a profound understanding of complex mathematical concepts. However, addressing these challenges also opens exciting avenues for future research and development.

5.1 *Technical and Theoretical Challenges*

Complexity of Elliptic Geometry Integration: One of the primary challenges is embedding the principles of elliptic geometry into the core operations of neural networks. This includes data representation, activation functions, and the backpropagation algorithm, all of which must be adapted to suit the non-Euclidean nature of elliptic space.

Computational Overhead: The calculations required for operations in elliptic space are inherently more complex than those in Euclidean space. This complexity could lead to increased computational costs, both in terms of processing time and resource allocation.

Lack of Established Frameworks: As ENNs are a novel concept, there is a lack of established frameworks or libraries that support elliptic geometry operations in neural networks. Developing these tools from scratch is a significant undertaking.

Data Representation and Normalization: Effectively embedding and normalizing data in elliptic space while preserving its inherent properties poses a significant challenge. There is a need for new techniques and algorithms that can accurately map data to elliptic space.

Scalability Issues: Scaling ENNs for large datasets and complex applications is a critical challenge. The increased computational complexity might hinder the scalability and efficiency of these networks.

5.2 *Potential Solutions and Areas for Future Research*

Development of Specialized Algorithms: There is a need to develop new algorithms and mathematical models that are specifically designed for elliptic geometry. Research in this area could focus on optimizing these algorithms for better performance and reduced computational complexity.

Advancements in Computational Resources: Leveraging advancements in hardware, such as GPUs or quantum computers, could help address the computational challenges posed by ENNs. Research could explore how these technologies can be optimized for elliptic geometry operations.

Hybrid Architectures: Combining the principles of elliptic geometry with existing neural network models could lead to the creation of hybrid architectures. These models could potentially mitigate some of the complexities involved while still leveraging the benefits of elliptic geometry [15].

Empirical Testing and Validation: Conducting extensive empirical tests to validate the effectiveness of ENNs in real-world applications is crucial. This would involve applying ENNs to various datasets and comparing their performance with traditional models.

Exploration of New Applications: Investigating new areas where the unique properties of ENNs could be particularly beneficial, such as complex hierarchical data processing or cyclic pattern recognition, is a promising direction for future research.

6. Conclusion

The In our journey through the intricate landscape of Elliptic Neural Networks (ENN), we have traversed a path that intertwines the abstract elegance of elliptic geometry with the dynamic world of neural networks. The unique properties of elliptic geometry, with its closed geodesic paths and constant positive curvature, opened possibilities for more naturally representing and processing data with inherent cyclic and hierarchical

structures. The potential applications of ENNs, from enhancing pattern recognition in time series to offering deeper insights in graph-based data analysis, are as vast as they are intriguing.

As we conclude, the journey of ENNs is just beginning. The practical implementation of these networks, their scalability, and their effectiveness in real-world scenarios remain areas ripe for exploration. The road ahead calls for the development of new computational tools, empirical testing, and a continuous refinement of the theoretical foundations we have laid. Moreover, the potential integration of ENNs with emerging technologies like quantum computing could further revolutionize their capabilities. ENN, as a concept, stands at the confluence of mathematical theory and technological innovation. It challenges us to think differently about how we design neural networks and process data. As we continue to push the frontiers of artificial intelligence and machine learning, ENNs remind us that sometimes, looking through a different geometrical lens can reveal a whole new world of possibilities. This venture into the realm of elliptic geometry is not just a step forward in AI but a leap into a future where the complexities of data are met with equally sophisticated and elegant solutions.

References

[1] R. I. Balam, F. Hernandez-Lopez, J. Trejo-Sanchez, and M. U. Zapata, 'An immersed boundary neural network for solving elliptic equations with singular forces on arbitrary domains'. *Mathematical Biosciences and Engineering,* 18(1), pp. 1-22,(2021).

[2] S. H. Chowdhury, Md. R. Sany, Md. H. Ahamed, S. K. Das, F. R. Badal, P. Das, Z. Tasneem, Md. M. Hasan, Md. R. Islam, Md. F. Ali, S. H. Abhi, Md. M. Islam, and S. K. Sarker, 'A State-of-the-Art Computer Vision Adopting Non-Euclidean Deep-Learning Models', *International Journal of Intelligent Systems,* vol. 8674641, pp 1-33, (2023).

[3] G. M. Jay, 'Euclidean and Non-Euclidean Geometries', New York: W.H. Freeman and Company, (2008).

[4] G., Han, L. Sun, and J. X. Wang, 'PhyGeoNet: Physics-informed geometry-adaptive convolutional neural networks for solving parameterized steady-state PDEs on irregular domain', *Journal of Computational Physics,* 428, 110079 (2021).

[5] M. A. Nabian, and H. Meidani, 'A deep learning solution approach for high-dimensional random differential equation's, *Probabilistic Engineering Mechanics*, 57, pp. 14–25, (2019).

[6] S. Karumuri, R. Tripathy, I. Bilionis, and J. Panchal, 'Simulator-free solution of high dimensional stochastic elliptic partial differential equations using deep neural networks', *Journal of Computational Physics,* 404, pp. 109120, (2020).

[7] K. Stefan, A. Steinicke, and M. Szölgyenyi, 'A deep neural network algorithm for semilinear elliptic PDEs with applications in insurance mathematics', Risks, 8(4), (2020).

[8] Anil Kumar & Sandeep Kumar Sharma. Information cryptography using cellular automata and digital image processing, *Journal of Discrete Mathematical Sciences and Cryptography*, 25:4, 1105-1111 (2022), DOI: 10.1080/09720529.2022.2072437.

[9] D. Thameur, W. Ouarda, H. Boubaker, and A. M. Alimi, 'Deep neural network for online writer identification using beta-elliptic model', International joint conference on neural networks (IJCNN), pp. 1863-1870. IEEE, (2016).

[10] H. Esam AA, S. Aldosary, H. Khaled, and T. M. Hassan. 'Authenticated Public Key Elliptic Curve Based on Deep Convolutional Neural Network for Cybersecurity Image Encryption Application', Sensors 23, 14, (2023).

[11] K. Matija, and D. Vlah. 'Ranks of elliptic curves and deep neural networks', Research in Number Theory 9, 3, 53, (2023).

[12] Sharma, Sandeep Kumar, Kumar, Anil, Ashtagi, Rashmi & Jain, Rekha. OCA: An intelligent model for improving security breach of biometric based authentication systems, *Journal of Discrete Mathematical Sciences and Cryptography,* 26:5, 1415–1425 (2023), DOI: 10.47974/JDMSC-1765.

[13] D. Wenbo, P. Roy, C. Peng, and V. Isler, 'Ellipse R-CNN: Learning to infer elliptical object from clustering and occlusion', IEEE Transactions on Image Processing ,30, pp. 2193-2206 (2021).

[14] C. Yunpeng, S. AL de Ridder, S. Rost, Z. Guo, X. Wu, S. Li, and Y. Chen, 'Physics-Informed Neural Networks for Elliptical-Anisotropy Eikonal Tomography: Application to Data From the Northeastern Tibetan Plateau', *Journal of Geophysical Research: Solid Earth*, 128, no. 12, (2023).

[15] P. Hung-Wen, S. Lee, and C. Lee, 'An oblique elliptical basis function network approach for supervised learning applications', *Applied Soft Computing*, 60, pp. 552-563, (2017).